



DYNAMOVIS® torque screwdriver (1,5 to 3 nm)

DYNAMOVIS-2

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>





DESCRIPTION

DYNAMOVIS® torque screwdriver (1,5 to 3 nm)

IMPOSSIBLE TO OVERSHOOT THE TORQUE VALUE: thanks to the torque limiting mechanism. MODULAR: Use the blade of your choice according to what you need with the same screwdriver. EASY TO SET: the tightening torque on the end of the screwdriver with a simple 6mm male key (supplied). IMMEDIATE IDENTIFICATION: Coloured ring identifying the tightening range.

Dynamic screwdriver DYNAMOVIS " green ring " identifying the clamping range from 1.5 Nm to 3.0 Nm.

ACCURACY:

Accuracy guaranteed at +/- 6%.

Single-direction disengaged screwdriver, right-hand tightening.

No adjustment of the tightening torque possible by the operator.

Screwdriver numbered and delivered with a calibration certificate in accordance with NF EN ISO 6789.

Length (without blade): 157 mm.

Length (with blade): 193 mm.

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Diameter: 33 mm.

Type II - Class D.

Blades sold at retail, interchangeable covering all areas of use.

STANDARDS / DIRECTIVES

ISO 6789, NF ISO 6789-1

SPECIFIC DATA

Designation	TORQUE SCREWDRIVER 1.5 TO 3 NM
Sales reference	DYNAMOVIS-2
L (mm)	157
Weight (kg)	0.15
D (mm)	33
Capacity	1.5 - 3 Nm
drive	1/4" 6-flat hollow-head wrench
Guarantee	O SAM TOOL guarantee.

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-27 20:02:41

