



Box of grip extractors

EX-137-C11N

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-17 18:14:23





DESCRIPTION

Box of grip extractors

Multi-purpose: The 5 to 46 mm flanges will allow you to extract a multitude of bearings or bushings simply and quickly. Safety: This box will allow you to extract bearings and bushings safely from the interior without any risk of damaging them. Precision: The flanges contained in this box are particularly well suited for the most common bearings and will allow you to extract your bearings and bushings simply with precision. Progressive system: The support beam's set screw (quenched to 55HRc) will ensure a very progressive opening of the flanges during the extraction phases. Force: The inertia mass will allow you to extract the most seriously jammed parts.

Embedded bearing extractor.

Gripping of bearings or raceways through the interior boreholes. Composition:

8 flanges with dia. 5 to 46 mm,

bracket (EX-137-T2) and inertia mass (EX-137-M2N).

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-17 18:14:23



SPECIFIC DATA

Designation	BOX OF GRIP EXTRACTORS
Sales reference	EX-137-C11N
Weight (kg)	5.275
Guarantee	O SAM TOOL guarantee.

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-17 18:14:23

