



Flanged extractor

EX-137...N

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 04:05:18





DESCRIPTION

Flanged extractor

Flanged pullers for extracting ball bearings housed in a casing box, extraction of raceways by the interior borehole without the need for a support point. Utilisation: insert the flanged puller into the bearing and introduce the force screw.

By tightening it, the edges will separate creating a firm contact surface allowing you to carry out the extraction in complete safety.

Utilisation with inertia mass EX-137-M2N or extraction counter support EX-137-T2.

SPECIFIC DATA

SAM Outillage


10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 04:05:18





Sales reference	L (mm)	Weight (kg)	D (mm)	B (mm)	C2 Ø mm	C2 Ø mm	Guarantee
EX-137-30N	65	0.420	33	0	30	37	- O
EX-137-5N	27	0.100	15	8	5	7	- O
EX-137-10N	64	0.270	33	0	12	14	- O
EX-137-25N	65	0.370	33	0	25	29	- O
EX-137-38N	65	0.580	33	0	38	46	- O
EX-137-50N	89	1.640	45	0	55	64	- O
EX-137-7N	40	0.100	15	20	8	11	- O
EX-137-14N	64	0.290	33	0	15	19	- O
EX-137-20N	65	0.320	33	0	20	24	- O
EX-137-45N	88	1.360	33	0	47	54	- O
EX-137-60N	89	2.060	45	0	65	76	- O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-04 04:05:18

