



## Stepped double-edge bits

**FEL-2**

FEL-...

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 08:34:56





## DESCRIPTION

### Stepped double-edge bits

Thanks to the deep helical gouging the vibrations are eliminated and the cutting performance is significantly improved. The problems of jamming and clogging with chips are eliminated. The chamfer facilitates the withdrawal of the drill bit when doing through drillings. Surface: Ground / coated with titanium nitride. Right-hand cutting. Tip angle: 118°. Step angle: 90°.

## STANDARDS / DIRECTIVES

DIN 1412

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 08:34:56



## SPECIFIC DATA

Designation	DOUBLE-BLADE STAGED DRILL 4 TO 20 MM CYCLINDRICAL SHANK
Sales reference	FEL-2
L (mm)	75
Weight (g)	80
Drilling capacity mm	4 - 20
diameters mm	4-6-8-10-12-14-16-18-20
tail diameter mm	8
Guarantee	C

**Guarantee applied****C | Consumable**

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 08:34:56

