



Stepped double-edge bits

FEL-7

FEL-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 01:24:13





DESCRIPTION

Stepped double-edge bits

Thanks to the deep helical gouging the vibrations are eliminated and the cutting performance is significantly improved. The problems of jamming and clogging with chips are eliminated. The chamfer facilitates the withdrawal of the drill bit when doing through drillings. Surface: Ground / coated with titanium nitride. Right-hand cutting. Tip angle: 118°. Step angle: 90°.

STANDARDS / DIRECTIVES

DIN 1412

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 01:24:13



SPECIFIC DATA

Designation	DOUBLE-BLADE STAGED DRILL 6 TO 37 MM CYLINDRICAL SHANK
Sales reference	FEL-7
L (mm)	100
Weight (g)	280
Drilling capacity mm	6 - 37
diameters mm	6-9-12.5-15.2-18.6-20.4-22.5-26-28.3-30.5-34-37
tail diameter mm	10
Guarantee	C

Guarantee applied**C | Consumable**

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-30 01:24:13

