



800 ml vacuum brake bleeder

FET-6B

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-23 23:32:08





DESCRIPTION



800 ml vacuum brake bleeder

Used to bleed the brake or clutch system by suction.

Only one operator is required.

Its compact size allows it to be used easily close to the wheel well.

Quick-connect coupling for changing the hose.

Rubber universal attachment.

The float valve prevents the arrival of air when the tank reaches its maximum level to prevent any dangerous spraying of the brake fluid in the case of accidental overshooting of its capacity.

The internal shutoff valve closes when it is not in use to avoid any spillage of the fluid during storage.

Practical suspension hook and automatic blocking of the trigger to enable hands-free operation.

The transparent drain hose allows a visual inspection of the fluid during bleeding.

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-23 23:32:08



1.5L recovery jar. Connector on bleed screw.

Max. negative pressure: 0.85 bar.

STANDARDS / DIRECTIVES

2006/42/CE

SPECIFIC DATA

Designation	BRAKE CIRCUIT BLEEDER
Sales reference	FET-6B
Weight (kg)	0.97
Guarantee	C Consumable

Guarantee applied

C | Consumable

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

