



Automotive fuse tester

FL-18

SAM Outillage


10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-20 07:30:08





DESCRIPTION

Automotive fuse tester

Ideal for detecting current leaks (consumption). Maximum voltage: 48V, maximum current: 20A. For standard blade fuses.

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-20 07:30:08



STANDARDS / DIRECTIVES

EN 61326-2-1:2005

SPECIFIC DATA

Designation	CAR FUSE TESTER
Sales reference	FL-18
Weight (kg)	0.11
Guarantee	C Consumable

Guarantee applied

C | Consumable

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

