



Needle-type test cable FL-MR











DESCRIPTION

Needle-type test cable

This set of high-quality test leads is designed for the automobile technician. Each set includes: A pair of test leads with silicone double insulation, terminated on one end by an insulated straight connector, and on the other end by a sheathed right-angle connector, both compatible with standard 4 mm connectors. One pair of wire-tester spike for intrusive measurements, ideal when reverse testing is not an option -> category: 30V. One pair of flexible measurement needle probes makes it possible to pass through the rubber joint on certain connectors without damaging it. The test wires can withstand high temperatures (for example: exhaust manifolds or soldering iron bits) -> category: 1,000VCAT II

SAM Outillage

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in











SPECIFIC DATA

Designation	NEEDLE-TYPE TEST CABLES
Sales reference	FL-MR
Weight (kg)	0.185
Guarantee	C Consumable

Guarantee applied

C | Consumable

The products in this category will not be replaced and are subject to normal wear phenomena.

>> Find out more

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 \in





