



Hss taps

FTR-11

FTR-...

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 06:20:01





DESCRIPTION

Hss taps

HSS ground steel screw taps. Metric thread DIN ISO 13. Bright finish. Right-hand ISO thread. To tap through holes and blind holes in non-alloyed or lightly alloyed steels with a max. resistance of 800 N/mm², in malleable iron and non-ferrous metals. Supplied in sets of 3: roughing, intermediary, finishing.

STANDARDS / DIRECTIVES

DIN 352


SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 06:20:01



SPECIFIC DATA



Designation	SET OF 3 HAND SCREW-TAPS HSS M11X1.5 MM
Sales reference	FTR-11
L (mm)	70
Weight (g)	143
Pitch mm	1.5
Lt (mm)	24
nominal diameter mm	11
Starter hole diameter mm	9.50
Guarantee	C

Guarantee applied

C | Consumable

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 06:20:01

