



## Hss taps

**FTR-3**

FTR-...

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 14:35:08





## DESCRIPTION

### Hss taps

HSS ground steel screw taps. Metric thread DIN ISO 13. Bright finish. Right-hand ISO thread. To tap through holes and blind holes in non-alloyed or lightly alloyed steels with a max. resistance of 800 N/mm<sup>2</sup>, in malleable iron and non-ferrous metals. Supplied in sets of 3: roughing, intermediary, finishing.

## STANDARDS / DIRECTIVES

DIN 352

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 14:35:08



SPECIFIC DATA



Designation	SET OF 3 HAND SCREW-TAPS HSS M3X0.5 MM
Sales reference	FTR-3
L (mm)	40
Weight (g)	17
Pitch mm	0.5
Lt (mm)	10
nominal diameter mm	3
Starter hole diameter mm	2.5
Guarantee	C

**Guarantee applied**

**C | Consumable**

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

