



## Hss taps

**FTR-8**

FTR-...

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 15:42:09





## DESCRIPTION

### Hss taps

HSS ground steel screw taps. Metric thread DIN ISO 13. Bright finish. Right-hand ISO thread. To tap through holes and blind holes in non-alloyed or lightly alloyed steels with a max. resistance of 800 N/mm<sup>2</sup>, in malleable iron and non-ferrous metals. Supplied in sets of 3: roughing, intermediary, finishing.

## STANDARDS / DIRECTIVES

DIN 352

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 15:42:09



SPECIFIC DATA



Designation	SET OF 3 HAND SCREW-TAPS HSS M8X1.25 MM
Sales reference	FTR-8
L (mm)	63
Weight (g)	85
Pitch mm	1.25
Lt (mm)	18
nominal diameter mm	8
Starter hole diameter mm	6.80
Guarantee	C

**Guarantee applied**

**C | Consumable**

The products in this category will not be replaced and are subject to normal wear phenomena.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-28 15:42:09

