



DESCRIPTION

Hydraulic column presses with pedal

Mechanically welded frame. Adjustable work table. Single-block hydraulic assembly. Hand pump. Pressure gauge with damper. Supplied with two straightening V-pieces and base for attachment to the floor. Supplied without accessories. EC Bureau Véritas certified. Only available on versions HP-.-AN: Quick approach then gentle separation. Winch for facilitating the manoeuvre (except HP-20-AZ)

STANDARDS / DIRECTIVES

2006/42/CE

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 20:38:28



SPECIFIC DATA

Designation	30-TONNE HYDRO-PNEUMATIC PRESS
Sales reference	HP-30-AN
E (mm)	710
Weight (kg)	152
C (mm)	1890
D (mm)	145
A (mm)	880
Capacity	30T
Lateral stroke mm	250
B (mm)	650
G1 min mm	150
G2 maxi mm	700
R1 hydraulic mm	120
R2 extension mm	75
R (mm)	195
Guarantee	M

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

