



**1" short hexagonal impact sockets in  
mm**

**NM-80**  
NM-...

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-02 17:18:33





## DESCRIPTION

### 1" short hexagonal impact sockets in mm

Sockets designed to resist the force transmitted by impact tools (screwdrivers, electric or air impact wrenches) used in the automotive or other industries.

Ring and pin locking.

Very high wear resistance.

Burnished finish.

## STANDARDS / DIRECTIVES

NF ISO 1711-1, NF ISO 1174-2, NF ISO 2725-2

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France


RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-02 17:18:33



SPECIFIC DATA



|                 |                                |
|-----------------|--------------------------------|
| Designation     | NM80 IMPACT SOCKET 1" OF 80 MM |
| Sales reference | NM-80                          |
| Weight (g)      | 2160                           |
| H (mm)          | 102                            |
| d (mm)          | 86                             |
| D (mm)          | 111.50                         |
| P (mm)          | 45                             |
| A (mm)          | 80                             |
| Guarantee       | O                              |

**Guarantee applied**

**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-02 17:18:33

