



2l cylinder, 300 bar PEA-BOUT23







#### **DESCRIPTION**

# 21 cylinder, 300 bar

Depressurised volume: 538 litres.

Overall diameter: 101 mm.

Overall height: 495 mm.

The regulatory life span is 5 years per test and a maximum of 15 years.

Type 3 cylinder: aluminium liner, carbon fibre and fibreglass.

The cylinder is supplied with a valve and graduated pressure gauge showing the volume of compressed air remaining.

## COMFORTABLE:

The upper cylinder cap allows easy, comfortable handling of the cylinder.

The lower cap serves to keep the cylinder vertical.

# SAFETY:

The valve is fitted with a safety system: anti-shear valve

## **SAM Outillage**

10 rue Camille de Rochetaillée 42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 











#### STRENGTH:

The composition of the cylinder makes it very light at the same time as giving it great mechanical strength

SAM guarantees it for 10 years.

## STANDARDS / DIRECTIVES

**EN ISO 10297** 

#### **SPECIFIC DATA**

Designation	STANDALONE ENERGY POWER (PEA) BOTTLE 2L 300 BAR
Sales reference	PEA-BOUT23
Weight (kg)	2.470
Guarantee	M1   SAM Equipment and Machine Guarantee:

## **Guarantee applied**

# M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> Find out more



42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583  $\in$ 





