



## Electrician's S1 round blade slotted head screwdriver

T-...E

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-10 07:24:06





## DESCRIPTION



### Electrician's S1 round blade slotted head screwdriver

Long life: Anti-corrosion coating. Performance: Blade made of chrome-molybdenum-vanadium steel ensuring a better performance in terms of bending and torsion. Ergonomic: Two-material handle suitable for 4 types of grip. Practical: Colour-code to identify the imprint. Easy to hang on any support. Comfort: Round, smooth tip fitting perfectly into the palm of your hand. Perfect grip.

Chrome-plated blade with burnished tip.

The end of the blade is milled for easy access to the screw, especially in connecting blocks.

Ergonomic bi-material handle.

Immediate identification of the slotted tip thanks to the yellow colour on the handle.

#### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €


<https://www.sam-outillage.com/>



STANDARDS / DIRECTIVES

NF ISO 2380-1, NF ISO 2380-2, DIN 5264

SPECIFIC DATA



Sales reference	L (mm)	Weight (g)	l (mm)	d (mm)	e (mm)	D (mm)	Pattern mm	Guarantee
T-2E75	156.6	26	75	2	0.4	20	2	O
T-25E50	131.6	22	50	2.5	0.4	20	2.5	O
T-25E75	156.6	15	75	2.5	0.4	20	2.5	O
T-3E75	156.6	26	75	3	0.5	20	3	O
T-3E100	181.6	26	100	3	0.5	20	3	O
T-35E75	176.7	50	75	3.5	0.6	25	3.5	O
T-35E100	201.7	48	100	3.5	0.6	25	3.5	O
T-35E200	301.7	51	200	3.5	0.6	25	3.5	O
T-4E100	201.7	48	100	4	0.8	25	4	O

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



T-4E150	251.7	51	150	4	0.8	25	4	O
T-4E250	351.7	60	250	4	0.8	25	4	O
T-55E100	212.6	70	100	5.5	1	29	5.5	O
T-55E125	237.6	80	125	5.5	1	29	5.5	O
T-55E150	262.6	90	150	5.5	1	29	5.5	O
T-55E250	362.6	100	250	5.5	1	29	5.5	O
T-65E125	222.9	110	125	6.5	1.2	32	6.5	O
T-65E150	272.9	107	150	6.5	1.2	32	6.5	O
T-65E200	322.9	130	200	6.5	1.2	32	6.5	O
T-65E300	322.9	160	300	6.5	1.2	32	6.5	O
T-8E200	322.9	160	200	6.5	1.2	32	8	O

**Guarantee applied**

**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-10 07:24:06

