



## Mechanic's S1 round blade slotted head screwdriver

**T-10M175**  
T-...M

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 11:56:28





## DESCRIPTION



## Mechanic's S1 round blade slotted head screwdriver

Long life: Anti-corrosion coating. Performance: Blade made of chrome-molybdenum-vanadium steel ensuring a better performance in terms of bending and torsion. Ergonomic: Two-material handle suitable for 4 types of grip. Practical: Easy to hang on any support. Comfort: Round, smooth tip fitting perfectly into the palm of your hand. Perfect grip.

Chrome-plated blade with burnished tip.

Ergonomic bi-material handle.

Forged head for extra strength.

Immediate identification of slotted tip thanks to the yellow colour on the handle.

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €


<https://www.sam-outillage.com/>



STANDARDS / DIRECTIVES

NF ISO 2380-1, NF ISO 2380-2, DIN 5264

SPECIFIC DATA



Designation	SCREWDRIVER BI-MATERIAL S1 MECHANIC 10X175
Sales reference	T-10M175
L (mm)	304.6
Weight (g)	190
l (mm)	175
d (mm)	10
e (mm)	1.6
D (mm)	34
Pattern mm	10
Guarantee	O

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



**Guarantee applied**

**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 11:56:28

