



Phillips® S1 round blade tom thumb screwdriver

T-1P25

T-...P_Tom_pouce

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 21:24:04





DESCRIPTION



Phillips® S1 round blade tom thumb screwdriver

Long life: Anti-corrosion coating. Performance: Blade made of chrome-molybdenum-vanadium steel ensuring a better performance in terms of bending and torsion. Ergonomic: Two-material handle suitable for 4 types of grip. Practical: Easy to hang on any support. Comfort: Round, smooth tip fitting perfectly into the palm of your hand. Perfect grip.

Chrome-plated blade with burnished tip.

Extra-short bi-material handle for difficult access jobs.

Immediate identification of the Phillips® tip thanks to the grey colour on the handle.

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>


Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-25 21:24:04



STANDARDS / DIRECTIVES

NF ISO 8764-2, NF ISO 8764-1

SPECIFIC DATA



Designation	SCREWDRIVER BI-MATERIAL S1 PH N°1 5X25
Sales reference	T-1P25
L (mm)	81.5
Weight (g)	32
l (mm)	25
d (mm)	5
D (mm)	28
Pattern	N° 1
Guarantee	O

Guarantee applied

SAM Outillage10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



T-1P25
Phillips® S1 round blade tom thumb screwdriver

T...P_Tom_pouce

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SCREWDRIVERS

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

