



Selection of torque screwdrivers and screw bits

T-42J1

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 16:55:45





DESCRIPTION

Selection of torque screwdrivers and screw bits

IMPOSSIBLE TO OVERSHOOT THE TORQUE VALUE: thanks to the automatic disengage system.EASY TO ADJUST: and intuitive thanks to the vernier.PRACTICAL: Supplied with a ratchet facilitating high-torque tightening.

Screwdriver 2-10 Nm with the most commonly used bits for low torque tightening values.

Ratchet included for reaching the 5-10 Nm ranges easily by attaching it to the rear of the screwdriver.

Used to check the tightening torque with excellent repeatability.

Screwdriver mainly used on assembly lines and in maintenance workshops.

No modification of the tightening torque possible by the operator. Precision +/- 6%.

Type II - Class D.

Screwdriver 2-10 Nm with the bits most commonly used in low torque tightening.The ratchet will allow you to reach the 5-10 Nm ranges more easily by securing it to the back of the screwdriver.Allows control of the tightening torque with excellent repeatability.Screwdriver mainly used on assembly lines and in maintenance workshops.No adjustment of the tightening torque possible by the operator.Accuracy +/- 6%.Numbered and delivered with certificate of calibration.Type II - Class D.Box

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 16:55:45



comprising:- 1 torque screwdriver T-42 with a capacity of 2 to 10 Nm.- 1 ratchet 1/4 ",- 1 male key for adjustment,- 3 slot tips: 4.5 - 6.5 - 8 mm,- 3 hexagonal ends: 3 - 4 - 5 mm,- 3 tips Pozidriv®: N ° 1 - N ° 2 - N ° 3,- 1 Torx® tip: 20,- 1 bit holder 1/4 ",- 1 extension 1/4 " 100 mm.

STANDARDS / DIRECTIVES

ISO 6789

SPECIFIC DATA

Designation	BOX OF TORQUE SCREWDRIVERS 1/4"
Sales reference	T-42J1
Weight (g)	1580
Number of tools	15
Guarantee	M1 SAM Equipment and Machine Guarantee:

Guarantee applied

M1 | SAM Equipment and Machine Guarantee:

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

>> [Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 16:55:45

