



Electrician's S1 round blade slotted head screwdriver

T-65E125

T-...E

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-09 23:32:21





DESCRIPTION



Electrician's S1 round blade slotted head screwdriver

Long life: Anti-corrosion coating. Performance: Blade made of chrome-molybdenum-vanadium steel ensuring a better performance in terms of bending and torsion. Ergonomic: Two-material handle suitable for 4 types of grip. Practical: Colour-code to identify the imprint. Easy to hang on any support. Comfort: Round, smooth tip fitting perfectly into the palm of your hand. Perfect grip.

Chrome-plated blade with burnished tip.

The end of the blade is milled for easy access to the screw, especially in connecting blocks.

Ergonomic bi-material handle.

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>




Immediate identification of the slotted tip thanks to the yellow colour on the handle.

STANDARDS / DIRECTIVES

NF ISO 2380-1, NF ISO 2380-2, DIN 5264

SPECIFIC DATA



Designation	SCREWDRIVER BI-MATERIAL S1 SLOTTED ELECTRICIAN 65X125
Sales reference	T-65E125
L (mm)	222.9
Weight (g)	110
l (mm)	125
d (mm)	6.5
e (mm)	1.2
D (mm)	32
Pattern mm	6.5
Guarantee	0

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-09 23:32:21

