

## DYNAMOVIS® screwdriver 1.5 to 3 nm - Torx® blade T2DIN-T...

### SAM Outillage


10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 09:42:03





## DESCRIPTION

### DYNAMOVIS® screwdriver 1.5 to 3 nm - Torx® blade

IMPOSSIBLE TO OVERSHOOT THE TORQUE VALUE: thanks to the torque limiting mechanism. MODULAR: Use the blade of your choice according to what you need with the same screwdriver. EASY TO SET: the tightening torque on the end of the screwdriver with a simple 6mm male key (supplied). IMMEDIATE IDENTIFICATION: Coloured ring identifying the tightening range.

DYNAMOVIS-3 screwdriver (1.5 to 3.0 Nm).

#### ACCURACY:

Accuracy guaranteed at +/- 6%.

Single-direction disengaged screwdriver, right-hand tightening.

No adjustment of the tightening torque possible by the operator.

Screwdriver numbered and delivered with a calibration certificate in accordance with NF EN ISO 6789.

Length (without blade): 157 mm.

#### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 09:42:03



Length (with blade): 193 mm.

Diameter: 33 mm.

Type II - Class D.

**STANDARDS / DIRECTIVES**

ISO 6789

**SPECIFIC DATA**

Sales reference	L (mm)	Weight (kg)	D (mm)	Capacity	drive	Guarantee
T2DIN-T8 (not marketed)	193	0.185	33	1,5 - 3,0 Nm	1/4" 6-flat hollow-head wrench	O
T2DIN-T25 (not marketed)	193	0.185	33	1,5 - 3,0 Nm	1/4" 6-flat hollow-head wrench	O
T2DIN-T20 (not marketed)	193	0.185	33	1,5 - 3,0 Nm	1/4" 6-flat hollow-head wrench	O
T2DIN-T9 (not marketed)	193	0.185	33	1,5 - 3,0 Nm	1/4" 6-flat hollow-head wrench	O
T2DIN-T15 (not marketed)	193	0.185	33	1,5 - 3,0 Nm	1/4" 6-flat hollow-head wrench	O
T2DIN-T10 (not marketed)	193	0.185	33	1,5 - 3,0 Nm	1/4" 6-flat hollow-head wrench	O

**Guarantee applied**

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

TROUQUE TIGHTENING

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 09:42:03

