

## DYNAMOVIS® screwdriver 1.5 to 3 nm - Torx® blade

**T2DIN-T20**  
T2DIN-T...

### SAM Outillage


10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 08:50:53





## DESCRIPTION

### DYNAMOVIS® screwdriver 1.5 to 3 nm - Torx® blade

IMPOSSIBLE TO OVERSHOOT THE TORQUE VALUE: thanks to the torque limiting mechanism. MODULAR: Use the blade of your choice according to what you need with the same screwdriver. EASY TO SET: the tightening torque on the end of the screwdriver with a simple 6mm male key (supplied). IMMEDIATE IDENTIFICATION: Coloured ring identifying the tightening range.

DYNAMOVIS-3 screwdriver (1.5 to 3.0 Nm).

#### ACCURACY:

Accuracy guaranteed at +/- 6%.

Single-direction disengaged screwdriver, right-hand tightening.

No adjustment of the tightening torque possible by the operator.

Screwdriver numbered and delivered with a calibration certificate in accordance with NF EN ISO 6789.

#### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 08:50:53



Length (without blade): 157 mm.

Length (with blade): 193 mm.

Diameter: 33 mm.

Type II - Class D.

## STANDARDS / DIRECTIVES

ISO 6789

## SPECIFIC DATA

|                 |   |
|-----------------|---|
| Designation     | DYNAMOVIS SCREWDRIVER 1.5 TO 3 NM + TORX BLADE 20 |
| Sales reference | T2DIN-T20   |
| L (mm)          | 193   |
| Weight (kg)     | 0.185   |
| D (mm)          | 33  |
| Capacity        | 1,5 - 3,0 Nm                                      |
| drive           | 1/4" 6-flat hollow-head wrench                    |
| Guarantee       | O   |

### Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

## SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-26 08:50:53

