



## DYNALEC® mechanical torque wrenches

**V-80CL**  
V-...

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-04-23 17:25:31





## DESCRIPTION

### DYNALEC® mechanical torque wrenches

THE WRENCH CAN BE USED IN TIGHTENING OR LOOSENING MODE: by turning it over thanks to the double squares. TRACEABILITY OF THE PEAK TIGHTENING VALUE: thanks to the second follower needle. DOUBLE SCALE: NM and FT.LB. MEASUREMENT INDEPENDENT FROM THE POSITION OF THE HAND. WARNING WITH A SOUND AND LIGHT SIGNAL: when the torque value is obtained for models 400, 800 and 2 000 Nm. BROAD TORQUE RANGE GOING FROM 0.3 NM TO 2,000 NM.

Torque wrench enabling direct reading of the torque value on a dial. ERGONOMIC Wrench equipped with a ratchet double-square (except model V-200-ML). Powered by a 1.5V battery (LR6) PRECISION Precision guaranteed to +/- 4%. Wrench supplied with a 3-point calibration certificate, in a box. Each wrench is numbered and supplied with a verification report in line with standard NF EN ISO 6789. Visual and aural release. Type I - Class B.

## STANDARDS / DIRECTIVES

### SAM Outillage

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>



NF ISO 3315, NF ISO 6789-1

**SPECIFIC DATA**

|                            |                                       |
|----------------------------|---------------------------------------|
| Designation                | MECHANICAL TORQUE WRENCH DYNALEC 3/4" |
| Sales reference            | V-80CL                                |
| L (mm)                     | 1010                                  |
| Weight (kg)                | 10.23                                 |
| Container                  | Box                                   |
| Capacity (Nm)              | 40 - 800                              |
| Capacity (Ft.lb)           | 29,5 - 590                            |
| light signal               | Yes                                   |
| square "                   | 3/4                                   |
| Dimensions containing (mm) | 1100x190x130                          |
| Guarantee                  | M                                     |

TROUQUE TIGHTENING

**Guarantee applied**

**M1 | SAM Equipment and Machine Guarantee:**

Guarantee for a limited period, covering technical tools, devices and machines used under normal conditions. The length is given by the number after the letter M: 1 to 5 years

[>> Find out more](#)

**SAM Outillage**

10 rue Camille de Rochetaillée  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

