



Screwdriver insulated 1000V Hex female

Z-180-....

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 19:56:51





DESCRIPTION

Screwdriver insulated 1000V Hex female

Accessible: Undercut blade to ensure the insulating protection does not create any overthickness. The blades are designed to access the most restricted spaces, without any risk of damaging the insulation, for interventions in complete safety.

USE: Products for use in tightening and loosening the most inaccessible nuts, they enable access to nuts even with protruding threaded rods. CHARACTERISTICS: Perfectly smooth rear hinge for enhanced comfort during intensive use. Ergonomic handle for comfort while enabling powerful tightening. Plus a rotating hinge to help during approximative tightening, and to limit wear or damage due to friction against the insulating glove.

STANDARDS / DIRECTIVES

NF ISO 691, CEI 60900, NF EN 60900

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 19:56:51



SPECIFIC DATA

Sales reference	Weight (kg)	Width (mm)	Length (mm)	Height (mm)	Guarantee
Z-180-6	0.165	35	268	35	O
Z-180-14	0.195	35	268	35	O
Z-180-7	0.170	35	268	35	O
Z-180-13	0.190	35	268	35	O
Z-180-12	0.190	35	268	35	O
Z-180-8	0.170	35	268	35	O
Z-180-10	0.180	35	268	35	O
Z-180-9	0.175	35	268	35	O

Guarantee applied

O | SAM TOOL guarantee.

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

SAM Outillage

10 rue Camille de Rochetaillée
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 €

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2024-05-03 19:56:51

